

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently Amended) A communication apparatus shared by a plurality of users, comprising:

a memory that stores, for each of the users, user information including a password and a name, and stores a default name;

~~a panel on which one of the users designates email transmission or facsimile transmission, and the user can enter~~ for entering a password;

a destination input unit for entering a character string corresponding to a destination, said destination input unit selecting between email transmission and facsimile transmission based on contents of said character string

a scanner that scans an image to obtain image data;

a controller that

a) ~~when the user designates~~ for email transmission ~~on the panel,~~
extracts ~~[[,]]~~ from the memory ~~[[,]]~~ a name corresponding to ~~the~~ an entered
password ~~entered on the panel,~~ and

b) ~~when the user designates~~ for facsimile transmission ~~on the panel,~~
extracts the default name from the memory;

a generator that

a) ~~when the user designates~~ for email transmission ~~on the panel,~~
generates an email to which an image file of the image data is attached by putting,
in the "From" field of the header of the email, the name extracted by the controller,
and

b) ~~when the user designates for~~ facsimile transmission ~~on the panel,~~
generates a facsimile by adding, to the image data, the default name extracted by
the controller; and

a transmitter that

a) ~~when the user designates for~~ email transmission ~~on the panel,~~
transmits the email generated by the generator to a recipient, ~~so that the recipient~~
~~sees the name without opening the image file, using a mailer on a computer, and~~

b) ~~when the user designates for~~ facsimile transmission ~~on the panel,~~
transmits the facsimile generated by the generator to the recipient.

2-21. (Cancelled).

22. (Previously Presented) The communication apparatus according to claim 1,
wherein the user designates email transmission by entering, on the panel, an email address
of the recipient.

23. (Previously Presented) The communication apparatus according to claim 1,
wherein the user designates facsimile transmission by entering, on the panel, a facsimile
number of the recipient.

24. (Currently Amended) A communication apparatus shared by a plurality of
users, comprising:

a memory that stores, for each of the users, user information including a password
and an email address, and stores a default email address;

~~a panel on which on one of the users designates email transmission or facsimile~~
~~transmission, and the user can enter a password;~~

a destination input unit for entering a character string corresponding to a destination,
said destination input unit selecting between email transmission and facsimile transmission
based on contents of said character string;

a scanner that scans an image to obtain image data;

a controller that

a) ~~when the user designates for~~ email transmission ~~on the panel~~, extracts ~~[[,]]~~ from the memory ~~[[,]]~~ an email address corresponding to ~~the an entered~~ password ~~entered on the panel~~, and

b) ~~when the user designates for~~ facsimile transmission ~~on the panel~~, extracts the default email address from the memory;

a generator that

a) ~~when the user designates for~~ email transmission ~~on the panel~~, generates an email to which an image file of the image data is attached by putting, in the "From" field of the header of the email, the email address extracted by the controller, and

b) ~~when the user designates for~~ facsimile transmission ~~on the panel~~, generates a facsimile by adding, to the image data, the default email address extracted by the controller; and

a transmitter that

a) ~~when the user designates for~~ email transmission ~~on the panel~~, transmits the email generated by the generator to a recipient, ~~so that the recipient sees the email address without opening the image file, using a mailer on a computer~~, and

b) ~~when the user designates for~~ facsimile transmission ~~on the panel~~, transmits the facsimile generated by the generator to the recipient.

25. (Previously Presented) The communication apparatus according to claim 24, wherein the user designates email transmission by entering, on the panel, an email address of the recipient.

26. (Previously Presented) The communication apparatus according to claim 24, wherein the user designates facsimile transmission by entering, on the panel, a facsimile number of the recipient.

27. (Previously Presented) A communication apparatus according to claim 1, wherein, said panel is usable for all of the following:

designating email transmission;

designating facsimile transmission so that the default name is added to the image data; and

entering said password.

28. (Previously Presented) A communication apparatus according to claim 24, wherein, said panel is usable for all of the following:

designating email transmission;

designating facsimile transmission so that the default name is added to the image data; and

entering said password.